

REMARKS

Applicant has made a sincere effort to overcome the rejection made on the grounds of indefiniteness. The claims now clearly identify the "oxygen passage", "the instrument passage" and "the oxygen passage and/or instrument passage". No new matter is involved in the claims as amended.

Attention is directed to the drawings of record. Note that FIG. 4D shows the stopcock passage arrangement for the delivery of oxygen; FIG. 3D shows the stopcock passage arrangement for the delivery of an instrument; and with reference to FIG. 4D turning the stopcock clockwise 45° oxygen and/or an instrument can be accommodated.

It appears that the formal grounds of rejection have been satisfactorily addressed and the Examiner is requested to indicate allowable subject matter.

Respectfully submitted

Date July 11, 2007

Sam Rosen

Sam Rosen  
Reg. No. 37,991  
Attorney for Applicant


HODES, PESSIN & KATZ, P.A.  
901 Dulaney Valley Road, Suite 400  
Towson, MD 21204  
Phone: 410-769-6146  
Fax: 410-832-5644  
E-Mail: [srosen@hpklegal.com](mailto:srosen@hpklegal.com)

Serial No. 10/825,356  
Docket No. 03392-PA (0428.0004)  
Inventor: Willeford  
Page 7



### CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail No. EB183383453US in an envelope addressed to Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the 11<sup>th</sup> day of July, 2007.

  
Carolyn H. Bates

HODES, PESSIN & KATZ, P.A.  
901 Dulaney Valley Road, Suite 400  
Towson, MD 21204  
Phone: 410-769-6146  
Fax: 410-832-5644  
E-Mail: [srosen@hpklegal.com](mailto:srosen@hpklegal.com)

SR/chb  
G:\files\ROSEN\WILLEFORD\Willeford PTO amendment.doc